AUTHOR INDEX

(D) Denotes Demonstration (T) Title only

Aarnoudse J.G., Smits T.M. & Zijlstra W.G. The effect of hypoxaemia on scalp blood flow in the fetal lamb measured by the laser Doppler technique. 115*P*

Achterberg P.W., Bucx J.J.J., de Jong J.W., Nieukoop A.S., Schouten V.J.A. & ter Keurs H.E.D.J. High-energy phosphate metabolism and force production in normoxic and ischaemic rat cardiac trabeculae and papillary muscle. 73*P*

Aickin C. Claire & Brading Alison F. The effects of bicarbonate and foreign anions on chloride transport in smooth muscle of the guinea-pig vas deferens. 267

Alinder G., Greeley G.H., Hekkens W.Th.J.M., Rietveld W.J., Rubin N.H. & Thompson J.C. The central control of circadian rhythmicity in food intake in the rat; the use of long-term recording techniques. (D) 12*P*

Allan G., Hughes B. & Paterson R.A. The effects of a modified haemoglobin oxygen dissociation curve (ODC) on myocardial function in isolated rabbit hearts. 41*P*

Allen D.G. & Kentish J.C. The effects of length changes on the myoplasmic calcium concentration in skinned ferret ventricular muscle. 67*P*

Allen D.G. & Smith G.L. The first calcium transient following shortening in isolated ferret ventricular muscle. 83*P*

Allessie M.A., Bonke F.I.M. & Kirchhof C.J.H.J. Electrotonic influence of atrial myocardium on sinus node function in the rabbit. 36*P*

Allessie M.A., Bonke F.I.M., Lammers W.J.E.P. & Rensma P.L. The wave-length of the atrial impulse and re-entrant arrhythmias in the conscious dog. 37*P*

Amboi N.I.B. & Smith I.C.H. Post-tetanic responses of the isolated rat vas deferens. 76*P*

Andersen Per & Saltin Bengt Maximal perfusion of skeletal muscle in man. 233

Andrews P.L.R. & Lawes I.N.C. Gastric tone modifies the responses to extrinsic neural stimuli in the anaesthetized ferret. 1

Angel A. The effect of benzodiazepines upon transmission of somatosensory information in the urethane-anaesthetized rat. 26*P*

Arts T., Prinzen F.W., Prizen T.T. & Reneman R.S. Gradients in epicardial shortening and transmural blood flow from ischaemic towards normal left ventricular myocardium in the dog. 50*P*

Arts T., Prinzen F.W., Reneman R.S. & van der Vusse G.J. Underperfusion across the left ventricular wall in relation to the duration of ischaemia and the level of post-stenotic pressure in dogs. 113*P*

Baan J., de Bruin H.G. & van der Velde E.T. E_{max} for the dog left ventricle *in situ* is influenced by muscle shortening. 68*P*

Bader C.R., Bertrand D. & Dupin E. Voltage-dependent potassium currents in developing neurones from quail mesencephalic neural crest. 129

Barrow S.E., Heavey D.J., Hickling N. & Ritter J.M. Inhibition by aspirin of bradykinin-induced prostacyclin production in man. 54*P*

Barts P., Pans D. & Teppema L.J. Ventilatory effects of carotid sinus-nerve stimulation with a sinusoidally modulated pulse frequency. 62*P*

Bauer Anthony J., Reed J. Brian & Sanders Kenton M. Slow wave heterogeneity within the circular muscle of the canine gastric antrum. 221

Beenakkers A.M.Th. & van der Horst D.J. Lipoprotein rearrangement and lipid transport during locust flight. 75*P*

Beenakkers A.M.Th. & van Marrewijk W.J.A. Control of the mobilization of fat-body glycogen as a fuel for locust flight. 122*P*

Beenakkers A.M.Th., Vaandrager S.H. & van Marrewijk W.J.A. Regulation of glycogenolysis in flight muscle of the migratory locust. 123*P*

Bennett J.A., McWilliam P.N. & Shepheard S.L. Inhibitory actions of γ-aminobutyric acid (GABA) in the nucleus tractus solitarius of the cat. 33*P*

BENNETT T. & GARDINER S.M. Hypotension following antagonism of the cardiovascular actions of vasopressin in urethane-anaesthetized Long Evans, Wistar and Sprague–Dawley rats. 51*P*

BENNETT T. & GARDINER S.M. Fluid and electrolyte handling following subcutaneous injection of polyethylene glycol in Brattleboro rats. 52*P*

BERGMAN C. & BERGMAN Jacqueline Origin and voltage dependence of asparagine-induced depolarization in intestinal cells of *Xenopus* embryo. 197

BERGMAN Jacqueline *see* BERGMAN C. & BERGMAN Jacqueline Origin and voltage dependence of asparagine-induced depolarization in intestinal cells of *Xenopus* embryo. 197

BERKENBOSCH A., DE GOEDE J., OLIEVIER C.N. & SCHUITMAKER J.J. CO_2 and H^+ effects on the ventilatory response to peripheral chemoreceptor stimulation in cats. 57*P*

BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.N. Almitrine bismesylate enhances sensitivity to carbon dioxide of peripheral chemoreceptors during normoxia in the cat. 105*P*

BERTRAND D. *see* BADER C.R., BERTRAND D. & DUPIN E. Voltage-dependent potassium currents in developing neurones from quail mesencephalic neural crest. 129

BEYNEN A.C. & KATAN M.B. Individuality of the response in man and rabbit of serum cholesterol to dietary cholesterol and to dietary fatty acids. 103*P*

BIERSTEKER M.W.A., ERICH W.B.M., MINKHORST A.J.W., PELTENBURG A.L., VAN DESSEL J.P. & ZONDERLAND M.L. Influence of training on sexual maturation and androgen profiles of young female albino Wistar rats. 101*P*

BLANGÉ T., STIENEN G.J.M. & TREIJTEL B.W. Active stiffness in frog skinned muscle fibres at different Ca concentrations. 65*P*

BLANGÉ T. & STIENEN G.J.M. The early part of the tension transient of activated skinned muscle fibres of the frog at high time-resolution. 74*P*

BLATTER L. & MCGUIGAN J.A.S. Measurement of $[Mg]_i$ in ferret ventricular muscle. (T) 93*P*

BLOM J.L. Is there a difference in human male and female brain activity? 18*P*

BOBBERT A.C. & KORVING J. Control of the rabbit's food-intake pattern by two circadian oscillators. 28*P*

BOBBERT M.F., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Power output of human triceps surae muscle-tendon complex during jumping. 78*P*

BOEKEE A., SPAAN J.A.E. & VAN DER MEER M. A versatile perfusion system for coronary artery perfusion in dog and goat. (D) 10*P*

BOM K., INA VAN DAM MEIJLER F.L. & VAN ZWIETEN G. Effect of atrial fibrillation on left ventricular behaviour. An echocardiographic study in man. 46*P*

BONKE F.I.M. *see* ALLESSIE M.A., BONKE F.I.M. & KIRCHHOF C.J.H.J. Electrotonic influence of atrial myocardium on sinus node function in the rabbit. 36*P*

BONKE F.I.M. *see* ALLESSIE M.A., BONKE F.I.M., LAMMERS W.J.E.P. & RENSMA P.L. The wave-length of the atrial impulse and re-entrant arrhythmias in the conscious dog. 37*P*

BOON H. & FOLGERING H. Controls of ventilation in new-born infants with sleep apnoea reported by parents. 109*P*

BORGDORFF P., SIPKEMA P. & WESTERHOF N. Effect of pump perfusion on autoregulation in the hindleg of the cat. 49*P*

BOUMA B.N., DERKX F.M.H., HUISVELD I.A. & SCHALEKAMP M.A.D.H. The renin system: the effect of oral contraception and exercise in trained and sedentary women. 100*P*

BOUMAN A.I.E., KERKHOF G.A., LANCEL M., PLOOIJ-VAN GORSEL P.C. & SUMTER D.F. Individual differences in the human circadian system. (D) 11*P*

BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J. & OPTHOF T. Vagal stimulation decreases intercellular coupling in the rabbit s.a. node. 35*P*

BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J., OPTHOF T. & VAN GINNEKEN A.C.G. The mode of action of alinidine in the rabbit sino-atrial node. 117*P*

BOYETT M.R., HART G. & LEVI A.J. The role of the intracellular sodium activity (a^i_{Na}) in the force staircase in isolated sheep Purkinje fibres. 85*P*

BRAAKMAN R., SIPKEMA P. & WESTERHOF N. Vasodilators: do they dilate the canine iliac peripheral bed? 43*P*

BRADING Alison F. *see* AICKIN C. Claire & BRADING Alison F. The effects of bicarbonate and foreign anions on chloride transport in smooth muscle of the guinea-pig vas deferens. 267

BRENNER E., NUBOER J.F.W. & SCHELVIS J. Early colour deprivation in pigeon and monkey. 15*P*

BRETSCHNEIDER F. Transient measurement of the membrane potential of receptor cells of an ampullary electroreceptor in the transparent catfish. 17*P*

BROWNHILL J., STEWART H.J. & THOMPSON G.E. Prepartum milking and the onset of secretion of milk fat in the goat. 291

BRUNSTING J.R., PATBERG W.R., SCHUIL H.A. & ZIJLSTRA W.G. Effect of autacoid antagonists on vagal cardioacceleration in the dog. 39*P*

BRYANT Cecily A., LESLIE G.C. & PART N.J. Observations on isometric twitches of human soleus before, during and after prolonged low-frequency stimulation. 30*P*

BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72*P*

BUCX J.J.J. *see* ACHTERBERG P.W., BUCX J.J.J., DE JONG J.W., NIEUKOOP A.S., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. High-energy phosphate metabolism and force production in normoxic and ischaemic rat cardiac trabeculae and papillary muscle. 73*P*

BUISMAN H.P., JONGSMA H.J., VAN DONGEN A.M.J., VAN MEERWIJK W.P.M. & YPEY D.L. An interactive computer model for simulation and analysis of stochastic behaviour of ionic channels. (D) 9*P*

BUISMAN H.P., VAN DER BERG R.J., VOSSEN P.C.W.M. & WINTZEN A.R. Single-channel recordings from cultured human myotubes. 91*P*

BULLOCK Caroline G., GILMORE Ruth St.C. & WALLACE W.F.M. Some ultrastructural evidence of barium/calcium competition for entry into smooth muscle cells of the rabbit ear artery. 79*P*

BULTHUIS J., HUIJING P.A. & LOHMAN J.A.B. Feasibility of simultaneous monitoring of phosphorus metabolites and lactate in rat skeletal muscle at [^{31}P] and [^{1}H]nuclear magnetic resonance. 64*P*

BUTCHER R.G., DRAKE-HOLLAND A.J., NOBLE M.I.M. & WANLESS R.B. The effect of noradrenaline lack on oxygen consumption in canine denervated myocardium. 40*P*

COLE Peter G., DILLY Stephen & LAB Max J. A computerized method of cardiac action-potential duration analysis. 118*P*

COLLEWIJN H., ERKELENS C.J. & REGAN D. Neither ocular vergence nor absolute disparity changes produce motion-in-depth sensation in man. 16*P*

COLLEWIJN H., STEINMAN R.M. & VAN DER STEEN J. The performance of the smooth pursuit eye movements system during passive and self-generated stimulus motion. 19*P*

CREIG C. *see* DOLAN P., CREIG C. & SARGEANT A.J. Muscular weakness following prolonged exercise in man. 126*P*

CROWE A., DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Volume changes and the active state in isolated rabbit left ventricles. 70*P*

CROWE A., KEESSEN W., KUUS W.A.W. & VAN VLIET R.E.C. Non-visual assessment of finger-tip positions in a horizontal plane. 94*P*

CUNNINGHAM Jo R. & NEAL Michael J. Effect of excitatory amino acids and analogues on [^{3}H]acetylcholine release from amacrine cells of the rabbit retina. 47

DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. The role of neural control and prostaglandin release in limited bronchoconstriction to methacholine in healthy humans. 106*P*

DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. Limited bronchoconstriction to methacholine using partial flow-volume curves in healthy humans. 107*P*

DANIEL P.M. & LAM D.K.C. The weight of the choroid plexus of the rat and its role in the passage of ascorbic acid into the brain. 32*P*

DASCAL Nathan, GILLO Boaz & LASS Yoram Role of calcium mobilization in mediation of acetylcholine-evoked chloride currents in *Xenopus laevis* oocytes. 299

DATTA A.K., FLEMING Jean R., HORTOBAGYI T. & STEPHENS J.A. Short-term synchronization of high-threshold motor units in human first dorsal interosseous muscle recorded during steady voluntary isometric contractions. 22*P*

DAVEY N.J. & ELLAWAY P.H. The nature of the reflex coupling between skin afferents and gamma motoneurones in the cat. 127*P*

DAVIES Stephen N. Sympathetic modulation of cold-receptive neurones in the trigeminal system of the rat. 315

DE BEER E.L., KIL P.J.M., SCHIERECK P. & VAN KAAM F.A.M. Diastolic volume loading and the inotropic state of *in vivo* left ventricles in dogs. 48*P*

DE BEER E.L. *see* CROWE A., DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Volume changes and the active state in isolated rabbit left ventricles. 70*P*

DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. The influence of the ejection timing upon the relaxation of the rabbit isolated left ventricle. 110*P*

DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Increase and decline of pressure enhancement during velocity-controlled stretches in the isolated contracting rabbit left ventricle. 111*P*

DE BEER E.L., SCHIERECK P. & VAN KAAM F.A.M. The effect of amplitude, velocity and time of volume decrease on pressure development in activated isolated rabbit left ventricle. 112*P*

DE BOER R.W., KAREMAKER J.M. & WIELING W. Suppression of respiratory influence in the diastolic pressure as evidence of a functioning baroreflex in man. 55*P*

DE BRUIN H.G. *see* BAAN J., DE BRUIN H.G. & VAN DER VELDE E.T. E_{max} for the dog left ventricle *in situ* is influenced by muscle shortening. 68*P*

DE GOEDE J., DE VOS A. & VAN DEN BERG R.J. Location of $1/f$ noise: ion channel or bulk ionic solution? (D) 8*P*

DE GOEDE J. *see* BERKENBOSCH A., DE GOEDE J. & OLIEVIER C.N. Almitrine bismesylate enhances sensitivity to carbon dioxide of peripheral chemoreceptors during normoxia in the cat. 105*P*

DE GOEDE J. *see* BERKENBOSCH A., DE GOEDE J., OLIEVIER C.N. & SCHUITMAKER J.J. CO_2 and H^+ effects on the ventilatory response to peripheral chemoreceptor stimulation in cats. 57*P*

DE HAAN P., VAN WILLIGEN J.D. & VERINGA F. Jaw position sense maintained under downward force on lower teeth. 34*P*

DE JONG J.W. *see* ACHTERBERG P.W., BUCX J.J.J., DE JONG J.W., NIEUKOOP A.S., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. High-energy phosphate metabolism and force production in normoxic and ischaemic rat cardiac trabeculae and papillary muscle. 73*P*

DE VOS A. *see* DE GOEDE J., DE VOS A. & VAN DEN BERG R.J. Location of $1/f$ noise: ion channel or bulk ionic solution? (D) 8*P*

DE WAEGH Sylvie, MASLAM Suharti & ROBERTS B.L. Cells of origin of pathways descending to the spinal cord in the eel. 97*P*

DEN HERTOG J.M., DOORNENBAL A., HUISMAN G. H., KERKHOF P.L.M., SCHREUDER J.J.A. & STOKHOF A.A. Investigations on ventriculo-aortic interaction in the awake dog. 38*P*

DENIER VAN DER GON J.J., GIELEN C. & VAN ZUYLEN E.J. Activation of motor units in human arm muscles in relation to elbow joint angle. 23*P*

DERKX F.M.H. *see* BOUMA B.N., DERKX F.M.H., HUISVELD I.A. & SCHALEKAMP M.A.D.H. The renin system: the effect of oral contraception and exercise in trained and sedentary women. 100*P*

DIJKEMA F.K., ELZINGA G. & HOLEWIJN A.J. Measurement of temperature changes in muscle contraction with a thermopile and amplifier designed to improve signal-to-noise ratio and resolution in time and place. (D) 4*P*

DILLY Stephen *see* COLE Peter G., DILLY Stephen & LAB Max J. A computerized method of cardiac action-potential duration analysis. 118*P*

DINGLEDINE Raymond & KORN Stephen J. γ-Aminobutyric acid uptake and the termination of inhibitory synaptic potentials in the rat hippocampal slice. 387

DOLAN P., CREIG C. & SARGEANT A.J. Muscular weakness following prolonged exercise in man. 126*P*

DOORNENBAL A. *see* DEN HERTOG J.M., DOORNENBAL A., HUISMAN G. H., KERKHOF P.L.M., SCHREUDER J.J.A. & STOKHOF A.A. Investigations on ventriculo-aortic interaction in the awake dog. 38*P*

DRAKE-HOLLAND A.J. *see* BUTCHER R.G., DRAKE-HOLLAND A.J., NOBLE M.I.M. & WANLESS R.B. The effect of noradrenaline lack on oxygen consumption in canine denervated myocardium. 40*P*

DRAKE-HOLLAND A.J., NOBLE M.I.M. & PETTERSSON K. Length-dependence of activation in the isovolumically beating dog heart. 71*P*

DUIVENVOORDEN J.J. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J. & OPTHOF T. Vagal stimulation decreases intercellular coupling in the rabbit s.a. node. 35*P*

DUIVENVOORDEN J.J. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J., OPTHOF T. & VAN GINNEKEN A.C.G. The mode of action of alinidine in the rabbit sino-atrial node. 117*P*

DUPIN E. *see* BADER C.R., BERTRAND D. & DUPIN E. Voltage-dependent potassium currents in developing neurones from quail mesencephalic neural crest. 129

DUTIA M.B. Vestibular control of neck muscles in acute and chronic hemilabyrinthectomized cats. 281

EDEN G.J. & HANSON M.A. The effect of hypoxia from birth on the biphasic respiratory response of the new-born rat to acute hypoxia. 59*P*

EDWARDSON J.A., MCDERMOTT J.R. & ZAR M.A. Biphasic effect of neuropeptide Y on adrenergic transmission in the rat anococcygeus muscle. 89*P*

EERBEEK O. & KERNELL D. Long-term nerve stimulation affects electromyographic properties of cat's skeletal muscle. 29*P*

EISNER D.A. & VALDEOLMILLOS M. Variability of systolic intracellular calcium concentration in calcium-overloaded isolated sheep Purkinje fibres. 81*P*

ELLAWAY P.H. *see* DAVEY N.J. & ELLAWAY P.H. The nature of the reflex coupling between skin afferents and gamma motoneurones in the cat. 127*P*

ELZINGA G. *see* DIJKEMA F.K., ELZINGA G. & HOLEWIJN A.J. Measurement of temperature changes in muscle contraction with a thermopile and amplifier designed to improve signal-to-noise ratio and resolution in time and place. (D) 4*P*

ELZINGA G. & VAN DER LAARSE W.J. Measurement of oxygen consumption of single frog muscle fibres. (D) 5*P*

ERICH W.B.M. *see* BIERSTEKER M.W.A., ERICH W.B.M., MINKHORST A.J.W., PELTENBURG A.L., VAN DESSEL J.P. & ZONDERLAND M.L. Influence of training on sexual maturation and androgen profiles of young female albino Wistar rats. 101*P*

ERICH W.B.M., HAVEKES L., PELTENBURG A.L., SARIS W.H.M., VAN ERP-BAART A.M.J. & ZONDERLAND M.L. Lipemic risk factors and dietary intake in premenarcheal athletes. 102*P*

ERKELENS C.J. *see* COLLEWIJN H., ERKELENS C.J. & REGAN D. Neither ocular vergence nor absolute disparity changes produce motion-in-depth sensation in man. 16*P*

ESCANDE D. Sarcoplasmic reticulum contributes to spontaneous automaticity in partially depolarized human atrial fibres. 82*P*

EVANS Peter D. Regional differences in responsiveness to octopamine within a locust skeletal muscle. 331

FEDIDA D., NOBLE D., SHIMONI Y. & SPINDLER A.J. Inward current and contraction in mammalian cardiac cells: interventions that augment or reduce current staircases. 84*P*

FEDIDA D., NOBLE D. & SPINDLER A.J. Simultaneous recording of transient inward current and contraction in single guinea-pig ventricular cells. 119*P*

FELDBERG W., PYKE D.A. & STUBBS W.A. Phentolamine hyperglycaemia in cats. 25*P*

FLEMING Jean R. *see* DATTA A.K., FLEMING Jean R., HORTOBAGYI T. & STEPHENS J.A. Short-term synchronization of high-threshold motor units in human first dorsal interosseous muscle recorded during steady voluntary isometric contractions. 22*P*

FOLGERING H. *see* BOON H. & FOLGERING H. Controls of ventilation in new-born infants with sleep apnoea reported by parents. 109*P*

FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

FURUKAWA Taro Slow depolarizing response from supporting cells in the goldfish saccule. 107

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Hypotension following antagonism of the cardiovascular actions of vasopressin in urethane-anaesthetized Long Evans, Wistar and Sprague–Dawley rats. 51*P*

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Fluid and electrolyte handling following subcutaneous injection of polyethylene glycol in Brattleboro rats. 52*P*

GIELEN C. *see* DENIER VAN DER GON J.J., GIELEN C. & VAN ZUYLEN E.J. Activation of motor units in human arm muscles in relation to elbow joint angle. 23*P*

GILLO Boaz *see* DASCAL Nathan, GILLO Boaz & LASS Yoram Role of calcium mobilization in mediation of acetylcholine-evoked chloride currents in *Xenopus laevis* oocytes. 299

GILMORE Ruth St.C. *see* BULLOCK Caroline G., GILMORE Ruth St.C. & WALLACE W.F.M. Some ultrastructural evidence of barium/calcium competition for entry into smooth muscle cells of the rabbit ear artery. 79*P*

GLITSCH H.G., PUSCH H. & VERDONCK F. The pacemaker current increases the intracellular Na activity in isolated, sheep cardiac Purkinje fibres. 86*P*

GODSCHALK M. & LEMON R.N. Further studies of monkey post-arcuate premotor neurones whose activity occurs before visually cued arm movements. 24*P*

GREELEY G.H. *see* ALINDER G., GREELEY G.H., HEKKENS W.Th.J.M., RIETVELD W.J., RUBIN N.H. & THOMPSON J.C. The central control of circadian rhythmicity in food intake in the rat; the use of long-term recording techniques. (D) 12*P*

GREENE Robert W. & HAAS Helmut L. Adenosine actions on CA1 pyramidal neurones in rat hippocampal slices. 119

GREGORY J.E. & PROSKE U. Responses of muscle receptors in the kitten. 27

GREGORY L.J., HANKINS M.W. & RUDDOCK K.H. GABA-induced polarizations of horizontal cells in the isolated fish retina persist in chloride-free Ringer. 14*P*

HAAS Helmut L. *see* GREENE Robert W. & HAAS Helmut L. Adenosine actions on CA1 pyramidal neurones in rat hippocampal slices. 119

HAMMOND G.R., MILLER S. & POTTS Jean M. Strategies of upper limb control in hemiplegic stroke patients. 21*P*

HANKINS M.W. *see* GREGORY L.J., HANKINS M.W. & RUDDOCK K.H. GABA-induced polarizations of horizontal cells in the isolated fish retina persist in chloride-free Ringer. 14*P*

HANSON M.A. *see* EDEN G.J. & HANSON M.A. The effect of hypoxia from birth on the biphasic respiratory response of the new-born rat to acute hypoxia. 59*P*

HARGREAVE F.E. *see* DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. The role of neural control and prostaglandin release in limited bronchoconstriction to methacholine in healthy humans. 106*P*

HARGREAVE F.E. *see* DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. Limited bronchoconstriction to methacholine using partial flow-volume curves in healthy humans. 107*P*

HART G. *see* BOYETT M.R., HART G. & LEVI A.J. The role of the intracellular sodium activity (a^i_{Na}) in the force staircase in isolated sheep Purkinje fibres. 85*P*

HAVEKES L. *see* ERICH W.B.M., HAVEKES L., PELTENBURG A.L., SARIS W.H.M., VAN ERP-BAART A.M.J. & ZONDERLAND M.L. Lipemic risk factors and dietary intake in premenarcheal athletes. 102*P*

HEAVEY D.J. *see* BARROW S.E., HEAVEY D.J., HICKLING N. & RITTER J.M. Inhibition by aspirin of bradykinin-induced prostacyclin production in man. 54*P*

HEKKENS W.Th.J.M. *see* ALINDER G., GREELEY G.H., HEKKENS W.Th.J.M., RIETVELD W.J., RUBIN N.H. & THOMPSON J.C. The central control of circadian rhythmicity in food intake in the rat; the use of long-term recording techniques. (D) 12*P*

HICKLING N. *see* BARROW S.E., HEAVEY D.J., HICKLING N. & RITTER J.M. Inhibition by aspirin of bradykinin-induced prostacyclin production in man. 54*P*

HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Optical studies of excitation–contraction coupling in the early embryonic chick heart. 89

HOLEWIJN A.J. *see* DIJKEMA F.K., ELZINGA G. & HOLEWIJN A.J. Measurement of temperature changes in muscle contraction with a thermopile and amplifier designed to improve signal-to-noise ratio and resolution in time and place. (D) 4*P*

HOOFD L. *see* VAN HAELST A.C.T.A., HOOFD L. & TUREK Z. Lognormal distribution of capillary domains in the rat myocardium. 114*P*

HORTOBAGYI T. *see* DATTA A.K., FLEMING Jean R., HORTOBAGYI T. & STEPHENS J.A. Short-term synchronization of high-threshold motor units in human first dorsal interosseous muscle recorded during steady voluntary isometric contractions. 22*P*

HUGHES B. *see* ALLAN G., HUGHES B. & PATERSON R.A. The effects of a modified haemoglobin oxygen dissociation curve (ODC) on myocardial function in isolated rabbit hearts. 41*P*

HUIJING P.A. *see* BULTHUIS J., HUIJING P.A. & LOHMAN J.A.B. Feasibility of simultaneous monitoring of phosphorus metabolites and lactate in rat skeletal muscle at [^{31}P] and [^{1}H]nuclear magnetic resonance. 64*P*

HUIJING P.A. *see* BOBBERT M.F., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Power output of human triceps surae muscle-tendon complex during jumping. 78*P*

HUISMAN G. H. *see* DEN HERTOG J.M., DOORNENBAL A., HUISMAN G. H., KERKHOF P.L.M., SCHREUDER J.J.A. & STOKHOF A.A. Investigations on ventriculo-aortic interaction in the awake dog. 38*P*

HUISVELD I.A. *see* BOUMA B.N., DERKX F.M.H., HUISVELD I.A. & SCHALEKAMP M.A.D.H. The renin system: the effect of oral contraception and exercise in trained and sedentary women. 100*P*

HUMPHREYS P.W. & JOELS N. Arterial pressure maintenance after haemorrhage in the pregnant rabbit. 17

HUYSMAN J.A.N. *see* BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72*P*

ILLERT M. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

INA VAN DAM MEIJLER F.L. *see* BOM K., INA VAN DAM MEIJLER F.L. & VAN ZWIETEN G. Effect of atrial fibrillation on left ventricular behaviour. An echocardiographic study in man. 46*P*

INCE C. & VAN DUIJN B. Intracellular free calcium measurements by fluorescence microscopy on single Quin 2-loaded cultured human monocytes. (D) 7*P*

INCE C., LEIJH P.C.J., THIO B., VAN DUIJN B. & YPEY D.L. Identification of a Na/K pump in cultured human monocytes. 90*P*

IWAZUMI T. Slow stretches and releases of the contracting myofibril (bullfrog atria) to test tension flutuations due to cross-bridge mechanical cycling. 69*P*

JOELS N. *see* HUMPHREYS P.W. & JOELS N. Arterial pressure maintenance after haemorrhage in the pregnant rabbit. 17

JOHANSSON H. & SOJKA P. Actions on γ-motoneurones elicited by electrical stimulation of cutaneous afferent fibres in the hind limb of the cat. 343

JONES Stephen W. Muscarinic and peptidergic excitation of bull-frog sympathetic neurones. 63

JONGSMA H.J. *see* BUISMAN H.P., JONGSMA H.J., VAN DONGEN A.M.J., VAN MEERWIJK W.P.M. & YPEY D.L. An interactive computer model for simulation and analysis of stochastic behaviour of ionic channels. (D) 9*P*

JONGSMA H.J. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J. & OPTHOF T. Vagal stimulation decreases intercellular coupling in the rabbit s.a. node. 35*P*

JONGSMA H.J., MASSON-PEVET M.A. & ROOK M. Synchronization behaviour of rat heart cell pairs in tissue culture. 87*P*

JONGSMA H.J. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J., OPTHOF T. & VAN GINNEKEN A.C.G. The mode of action of alinidine in the rabbit sino-atrial node. 117*P*

KAMINO Kohtaro *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Optical studies of excitation–contraction coupling in the early embryonic chick heart. 89

KAREMAKER J.M. *see* DE BOER R.W., KAREMAKER J.M. & WIELING W. Suppression of respiratory influence in the diastolic pressure as evidence of a functioning baroreflex in man. 55*P*

KATAN M.B. *see* BEYNEN A.C. & KATAN M.B. Individuality of the response in man and rabbit of serum cholesterol to dietary cholesterol and to dietary fatty acids. 103*P*

KEESSEN W. *see* CROWE A., KEESSEN W., KUUS W.A.W. & VAN VLIET R.E.C. Non-visual assessment of finger-tip positions in a horizontal plane. 94*P*

KENTISH J.C. *see* ALLEN D.G. & KENTISH J.C. The effects of length changes on the myoplasmic calcium concentration in skinned ferret ventricular muscle. 67*P*

KERKHOF G.A. *see* BOUMAN A.I.E., KERKHOF G.A., LANCEL M., PLOOIJ-VAN GORSEL P.C. & SUMTER D.F. Individual differences in the human circadian system. (D) 11*P*

KERKHOF P.L.M. *see* DEN HERTOG J.M., DOORNENBAL A., HUISMAN G. H., KERKHOF P.L.M., SCHREUDER J.J.A. & STOKHOF A.A. Investigations on ventriculo-aortic interaction in the awake dog. 38*P*

KERNELL D. *see* EERBEEK O. & KERNELL D. Long-term nerve stimulation affects electromyographic properties of cat's skeletal muscle. 29*P*

KIL P.J.M. *see* DE BEER E.L., KIL P.J.M., SCHIERECK P. & VAN KAAM F.A.M. Diastolic volume loading and the inotropic state of *in vivo* left ventricles in dogs. 48*P*

KIRCHHOF C.J.H.J. *see* ALLESSIE M.A., BONKE F.I.M. & KIRCHHOF C.J.H.J. Electrotonic influence of atrial myocardium on sinus node function in the rabbit. 36*P*

KNUFMAN N.M.J. *see* BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72*P*

KOLB F.P. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

KOMURO Hitoshi *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Optical studies of excitation–contraction coupling in the early embryonic chick heart. 89

KONISHI Tetsuro Electrical excitability of motor nerve terminals in the mouse. 411

KORN Stephen J. *see* DINGLEDINE Raymond & KORN Stephen J. γ-Aminobutyric acid uptake and the termination of inhibitory synaptic potentials in the rat hippocampal slice. 387

KORVING J., RIETVELD W.J. & WIRZ-JUSTICE A. Circadian control of behaviour modified by chronic application of metamphetamine in the rat. 27*P*

KORVING J. *see* BOBBERT A.C. & KORVING J. Control of the rabbit's food-intake pattern by two circadian oscillators. 28*P*

KOWARSKI D., SHUMAN H., SOMLYO A.P. & SOMLYO Avril V. Calcium release by noradrenaline from central sarcoplasmic reticulum in rabbit main pulmonary artery smooth muscle. 153

KRAMS R., SIPKEMA P. & WESTERHOF N. Does left ventricular pressure influence the coronary pressure-flow relation in the cat? 42*P*

KROON G.W. & NAEIJE M. Electromyographical power spectrum changes during fatigue of the human masseter muscle at different contraction levels. 99*P*

KURACHI Yoshihisa Voltage-dependent activation of the inward-rectifier potassium channel in the ventricular cell membrane of guinea-pig heart. 365

KUUS W.A.W. *see* CROWE A., KEESSEN W., KUUS W.A.W. & VAN VLIET R.E.C. Non-visual assessment of finger-tip positions in a horizontal plane. 94*P*

KWANT G., OESEBURG B., ZIJLSTRA W.G. & ZWART A. Direct and indirect determination of the CO_2 Bohr effect in human whole blood. 56*P*

LAB Max J. *see* COLE Peter G., DILLY Stephen & LAB Max J. A computerized method of cardiac action-potential duration analysis. 118*P*

LAM D.K.C. *see* DANIEL P.M. & LAM D.K.C. The weight of the choroid plexus of the rat and its role in the passage of ascorbic acid into the brain. 32*P*

LAMMERS W.J.E.P. *see* ALLESSIE M.A., BONKE F.I.M., LAMMERS W.J.E.P. & RENSMA P.L. The wave-length of the atrial impulse and re-entrant arrhythmias in the conscious dog. 37*P*

LANCEL M. *see* BOUMAN A.I.E., KERKHOF G.A., LANCEL M., PLOOIJ-VAN GORSEL P.C. & SUMTER D.F. Individual differences in the human circadian system. (D) 11*P*

LANGBROEK A.J.M., RISPENS P., ZIJLSTRA W.G. & ZOCK J.P. Effect of bolus injections of buffered NH_4Cl solutions into the right atrium of the dog on arterial pH and end-expiratory P_{CO_2}. 104*P*

LASS Yoram *see* DASCAL Nathan, GILLO Boaz & LASS Yoram Role of calcium mobilization in mediation of acetylcholine-evoked chloride currents in *Xenopus laevis* oocytes. 299

LAWES I.N.C. *see* ANDREWS P.L.R. & LAWES I.N.C. Gastric tone modifies the responses to extrinsic neural stimuli in the anaesthetized ferret. 1

LEIJENDEKKER W.J. & VAN HARDEVELD C. The energy turnover in contracting muscles of hypothyroid rats. 124*P*

LEIJH P.C.J. *see* INCE C., LEIJH P.C.J., THIO B., VAN DUIJN B. & YPEY D.L. Identification of a Na/K pump in cultured human monocytes. 90*P*

LEMON R.N., MUIR R.B., THON H. & VAN DER BURG J. Methods for identification of single motor cortex neurones with projections to motoneurones of hand and forearm muscles in the conscious monkey. (D) 2*P*

LEMON R.N. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

LEMON R.N. *see* GODSCHALK M. & LEMON R.N. Further studies of monkey post-arcuate premotor neurones whose activity occurs before visually cued arm movements. 24*P*

LESLIE G.C. *see* BRYANT Cecily A., LESLIE G.C. & PART N.J. Observations on isometric twitches of human soleus before, during and after prolonged low-frequency stimulation. 30*P*

LEVI A.J. *see* BOYETT M.R., HART G. & LEVI A.J. The role of the intracellular sodium activity (a^i_{Na}) in the force staircase in isolated sheep Purkinje fibres. 85*P*

LOHMAN J.A.B. *see* BULTHUIS J., HUIJING P.A. & LOHMAN J.A.B. Feasibility of simultaneous monitoring of phosphorus metabolites and lactate in rat skeletal muscle at [^{31}P] and [^{1}H]nuclear magnetic resonance. 64*P*

LÜTTGAU H.Ch., NEUHAUS R., THIELECZEK R. & WETTWER E. Alterations in force activation after the injection of EGTA into short muscle fibres of the frog. 66*P*

MCDERMOTT J.R. *see* EDWARDSON J.A., MCDERMOTT J.R. & ZAR M.A. Biphasic effect of neuropeptide Y on adrenergic transmission in the rat anococcygeus muscle. 89*P*

MCGUIGAN J.A.S. *see* BLATTER L. & MCGUIGAN J.A.S. Measurement of $[Mg]_i$ in ferret ventricular muscle. (T) 93*P*

MCWILLIAM P.N. *see* BENNETT J.A., MCWILLIAM P.N. & SHEPHEARD S.L. Inhibitory actions of γ-aminobutyric acid (GABA) in the nucleus tractus solitarius of the cat. 33*P*

MASLAM Suharti *see* DE WAEGH Sylvie, MASLAM Suharti & ROBERTS B.L. Cells of origin of pathways descending to the spinal cord in the eel. 97*P*

MASSON-PEVET M.A. *see* JONGSMA H.J., MASSON-PEVET M.A. & ROOK M. Synchronization behaviour of rat heart cell pairs in tissue culture. 87*P*

MECHMANN S. & POTT L. Ca release from SR activates two different currents in cultured atrial myocytes from hearts of adult guinea-pigs. 80*P*

MEREDITH Gloria E. & ROBERTS B.L. The topographical organization of brain-stem efferent neurones innervating the inner ear and lateral line of the eel, *Anguilla anguilla*. 98*P*

METZGER P. & WEINGART R. Electric current flow in cell pairs isolated from adult rat hearts. 177

MILLER S. *see* HAMMOND G.R., MILLER S. & POTTS Jean M. Strategies of upper limb control in hemiplegic stroke patients. 21*P*

MINKHORST A.J.W. *see* BIERSTEKER M.W.A., ERICH W.B.M., MINKHORST A.J.W., PELTENBURG A.L., VAN DESSEL J.P. & ZONDERLAND M.L. Influence of training on sexual maturation and androgen profiles of young female albino Wistar rats. 101*P*

MOHN G. & VAN HOF-VAN DUIN J. Development of the visual threatening reflex and the monocular visual field in human infants: cortico-subcortical integration? 96*P*

MOLENAAR P.C., OEN B.S. & POLAK R.L. Effect of Cl-ions on giant miniature end-plate potentials in frog muscle. 88*P*

MOS W. The multiple innervation of muscle fibres in teleost fish changes during growth. 121*P*

MUIJTJENS A.M.M., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Velocity profiles of blood platelets flowing in arterioles of the rabbit mesentery. 47*P*

MUIR R.B. *see* LEMON R.N., MUIR R.B., THON H. & VAN DER BURG J. Methods for identification of single motor cortex neurones with projections to motoneurones of hand and forearm muscles in the conscious monkey. (D) 2*P*

MUIR R.B. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

NAEIJE M. *see* KROON G.W. & NAEIJE M. Electromyographical power spectrum changes during fatigue of the human masseter muscle at different contraction levels. 99*P*

NEAL Michael J. *see* CUNNINGHAM Jo R. & NEAL Michael J. Effect of excitatory amino acids and analogues on [^{3}H]acetylcholine release from amacrine cells of the rabbit retina. 47

NEUHAUS R. *see* LÜTTGAU H.Ch., NEUHAUS R., THIELECZEK R. & WETTWER E. Alterations in force activation after the injection of EGTA into short muscle fibres of the frog. 66*P*

NIEUKOOP A.S. *see* ACHTERBERG P.W., BUCX J.J.J., DE JONG J.W., NIEUKOOP A.S., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. High-energy phosphate metabolism and force production in normoxic and ischaemic rat cardiac trabeculae and papillary muscle. 73*P*

NIEUWENHUIJS J.H.M. *see* CROWE A., DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Volume changes and the active state in isolated rabbit left ventricles. 70*P*

NIEUWENHUIJS J.H.M. *see* DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. The influence of the ejection timing upon the relaxation of the rabbit isolated left ventricle. 110*P*

NIEUWENHUIJS J.H.M. *see* DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Increase and decline of pressure enhancement during velocity-controlled stretches in the isolated contracting rabbit left ventricle. 111*P*

NOBLE D. *see* FEDIDA D., NOBLE D., SHIMONI Y. & SPINDLER A.J. Inward current and contraction in mammalian cardiac cells: interventions that augment or reduce current staircases. 84*P*

NOBLE D. *see* FEDIDA D., NOBLE D. & SPINDLER A.J. Simultaneous recording of transient inward current and contraction in single guinea-pig ventricular cells. 119*P*

NOBLE M.I.M. *see* BUTCHER R.G., DRAKE-HOLLAND A.J., NOBLE M.I.M. & WANLESS R.B. The effect of noradrenaline lack on oxygen consumption in canine denervated myocardium. 40*P*

NOBLE M.I.M., SPAAN J.A.E. & VERGROESEN I. Critical test of two predictive hypotheses (oxygen- and adenosine-based) for coronary vascular control in the goat and dog. 44*P*

NOBLE M.I.M. *see* DRAKE-HOLLAND A.J., NOBLE M.I.M. & PETTERSSON K. Length-dependence of activation in the isovolumically beating dog heart. 71*P*

NUBOER J.F.W. & WORTEL J.F. A comparison of the spectral sensitivities of the chicken and the pigeon. 13*P*

NUBOER J.F.W. *see* BRENNER E., NUBOER J.F.W. & SCHELVIS J. Early colour deprivation in pigeon and monkey. 15*P*

NUBOER J.F.W. & WORTEL J.F. Wavelength discrimination in the lower and upper visual field of the pigeon. 95P

O'BRIEN M.J. & PRECHTL H.F.R. Sleep state, chest-wall muscles and periodic breathing in infants. 61P

OEN B.S. *see* MOLENAAR P.C., OEN B.S. & POLAK R.L. Effect of Cl-ions on giant miniature end-plate potentials in frog muscle. 88P

OESEBURG B. *see* KWANT G., OESEBURG B., ZIJLSTRA W.G. & ZWART A. Direct and indirect determination of the CO_2 Bohr effect in human whole blood. 56P

OLIEVIER C.N. *see* BERKENBOSCH A., DE GOEDE J., OLIEVIER C.N. & SCHUITMAKER J.J. CO_2 and H^+ effects on the ventilatory response to peripheral chemoreceptor stimulation in cats. 57P

OLIEVIER C.N. *see* BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.N. Almitrine bismesylate enhances sensitivity to carbon dioxide of peripheral chemoreceptors during normoxia in the cat. 105P

OPTHOF T. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J. & OPTHOF T. Vagal stimulation decreases intercellular coupling in the rabbit s.a. node. 35P

OPTHOF T. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J., OPTHOF T. & VAN GINNEKEN A.C.G. The mode of action of alinidine in the rabbit sino-atrial node. 117P

OUDE VRIELINK H.H.E., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Vasomotion and reduced perfusion pressure in rabbit tenuissimus muscle. 125P

PALLOT D.J., PONTE J. & SADLER C.L. Afferent activity in the regenerated sinus nerve of the rabbit. 63P

PANS D. *see* BARTS P., PANS D. & TEPPEMA L.J. Ventilatory effects of carotid sinus-nerve stimulation with a sinusoidally modulated pulse frequency. 62P

PART N.J. *see* BRYANT Cecily A., LESLIE G.C. & PART N.J. Observations on isometric twitches of human soleus before, during and after prolonged low-frequency stimulation. 30P

PATBERG W.R. & VERINGA F. Graded blocking of non-myelinated vagal fibres in the rabbit. 31P

PATBERG W.R. *see* BRUNSTING J.R., PATBERG W.R., SCHUIL H.A. & ZIJLSTRA W.G. Effect of autacoid antagonists on vagal cardioacceleration in the dog. 39P

PATERSON R.A. *see* ALLAN G., HUGHES B. & PATERSON R.A. The effects of a modified haemoglobin oxygen dissociation curve (ODC) on myocardial function in isolated rabbit hearts. 41P

PELTENBURG A.L. *see* BIERSTEKER M.W.A., ERICH W.B.M., MINKHORST A.J.W., PELTENBURG A.L., VAN DESSEL J.P. & ZONDERLAND M.L. Influence of training on sexual maturation and androgen profiles of young female albino Wistar rats. 101P

PELTENBURG A.L. *see* ERICH W.B.M., HAVEKES L., PELTENBURG A.L., SARIS W.H.M., VAN ERP-BAART A.M.J. & ZONDERLAND M.L. Lipemic risk factors and dietary intake in premenarcheal athletes. 102P

PETTERSSON K. *see* DRAKE-HOLLAND A.J., NOBLE M.I.M. & PETTERSSON K. Length-dependence of activation in the isovolumically beating dog heart. 71P

PLOOIJ-VAN GORSEL P.C. *see* BOUMAN A.I.E., KERKHOF G.A., LANCEL M., PLOOIJ-VAN GORSEL P.C. & SUMTER D.F. Individual differences in the human circadian system. (D) 11P

POLAK R.L. *see* MOLENAAR P.C., OEN B.S. & POLAK R.L. Effect of Cl-ions on giant miniature end-plate potentials in frog muscle. 88P

PONTE J. *see* PALLOT D.J., PONTE J. & SADLER C.L. Afferent activity in the regenerated sinus nerve of the rabbit. 63P

POTT L. *see* MECHMANN S. & POTT L. Ca release from SR activates two different currents in cultured atrial myocytes from hearts of adult guinea-pigs. 80P

POTTS Jean M. *see* HAMMOND G.R., MILLER S. & POTTS Jean M. Strategies of upper limb control in hemiplegic stroke patients. 21P

PRECHTL H.F.R. *see* O'BRIEN M.J. & PRECHTL H.F.R. Sleep state, chest-wall muscles and periodic breathing in infants. 61P

PRINZEN F.W. *see* ARTS T., PRINZEN F.W., PRIZEN T.T. & RENEMAN R.S. Gradients in epicardial shortening and transmural blood flow from ischaemic towards normal left ventricular myocardium in the dog. 50P

PRINZEN F.W. *see* ARTS T., PRINZEN F.W., RENEMAN R.S. & VAN DER VUSSE G.J. Underperfusion across the left ventricular wall in relation to the duration of ischaemia and the level of post-stenotic pressure in dogs. 113P

PRIZEN T.T. *see* ARTS T., PRINZEN F.W., PRIZEN T.T. & RENEMAN R.S. Gradients in epicardial shortening and transmural blood flow from ischaemic towards normal left ventricular myocardium in the dog. 50P

PROSKE U. *see* GREGORY J.E. & PROSKE U. Responses of muscle receptors in the kitten. 27

PUSCH H. *see* GLITSCH H.G., PUSCH H. & VERDONCK F. The pacemaker current increases the intracellular Na activity in isolated, sheep cardiac Purkinje fibres. 86*P*

PYKE D.A. *see* FELDBERG W., PYKE D.A. & STUBBS W.A. Phentolamine hyperglycaemia in cats. 25*P*

REED J. Brian *see* BAUER Anthony J., REED J. Brian & SANDERS Kenton M. Slow wave heterogeneity within the circular muscle of the canine gastric antrum. 221

REGAN D. *see* COLLEWIJN H., ERKELENS C.J. & REGAN D. Neither ocular vergence nor absolute disparity changes produce motion-in-depth sensation in man. 16*P*

RENEMAN R.S. *see* MULJTJENS A.M.M., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Velocity profiles of blood platelets flowing in arterioles of the rabbit mesentery. 47*P*

RENEMAN R.S. *see* ARTS T., PRINZEN F.W., PRIZEN T.T. & RENEMAN R.S. Gradients in epicardial shortening and transmural blood flow from ischaemic towards normal left ventricular myocardium in the dog. 50*P*

RENEMAN R.S. *see* ARTS T., PRINZEN F.W., RENEMAN R.S. & VAN DER VUSSE G.J. Underperfusion across the left ventricular wall in relation to the duration of ischaemia and the level of post-stenotic pressure in dogs. 113*P*

RENEMAN R.S. *see* OUDE VRIELINK H.H.E., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Vasomotion and reduced perfusion pressure in rabbit tenuissimus muscle. 125*P*

RENSMA P.L. *see* ALLESSIE M.A., BONKE F.I.M., LAMMERS W.J.E.P. & RENSMA P.L. The wave-length of the atrial impulse and re-entrant arrhythmias in the conscious dog. 37*P*

RICCIARDI L. *see* BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72*P*

RIETVELD W.J. *see* ALINDER G., GREELEY G.H., HEKKENS W.Th.J.M., RIETVELD W.J., RUBIN N.H. & THOMPSON J.C. The central control of circadian rhythmicity in food intake in the rat; the use of long-term recording techniques. (D) 12*P*

RIETVELD W.J. *see* KORVING J., RIETVELD W.J. & WIRZ-JUSTICE A. Circadian control of behaviour modified by chronic application of metamphetamine in the rat. 27*P*

RIJNSBURGER W.H., VAN DEN BERG R.J., VAN DONGEN A.M.J. & VERSLUIJS C.A.A. An extremely fast voltage clamp for Ranvier nodes. (D) 3*P*

RISPENS P. *see* LANGBROEK A.J.M., RISPENS P., ZIJLSTRA W.G. & ZOCK J.P. Effect of bolus injections of buffered NH_4Cl solutions into the right atrium of the dog on arterial pH and end-expiratory P_{CO_2}. 104*P*

RITTER J.M. *see* BARROW S.E., HEAVEY D.J., HICKLING N. & RITTER J.M. Inhibition by aspirin of bradykinin-induced prostacyclin production in man. 54*P*

ROBERTS B.L. *see* DE WAEGH Sylvie, MASLAM Suharti & ROBERTS B.L. Cells of origin of pathways descending to the spinal cord in the eel. 97*P*

ROBERTS B.L. *see* MEREDITH Gloria E. & ROBERTS B.L. The topographical organization of brain-stem efferent neurones innervating the inner ear and lateral line of the eel, *Anguilla anguilla*. 98*P*

ROOK M. *see* JONGSMA H.J., MASSON-PEVET M.A. & ROOK M. Synchronization behaviour of rat heart cell pairs in tissue culture. 87*P*

RUBIN N.H. *see* ALINDER G., GREELEY G.H., HEKKENS W.Th.J.M., RIETVELD W.J., RUBIN N.H. & THOMPSON J.C. The central control of circadian rhythmicity in food intake in the rat; the use of long-term recording techniques. (D) 12*P*

RUDDOCK K.H. *see* GREGORY L.J., HANKINS M.W. & RUDDOCK K.H. GABA-induced polarizations of horizontal cells in the isolated fish retina persist in chloride-free Ringer. 14*P*

SADLER C.L. *see* PALLOT D.J., PONTE J. & SADLER C.L. Afferent activity in the regenerated sinus nerve of the rabbit. 63*P*

SAKAI Tetsuro *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Optical studies of excitation–contraction coupling in the early embryonic chick heart. 89

SALTIN Bengt *see* ANDERSEN Per & SALTIN Bengt Maximal perfusion of skeletal muscle in man. 233

SANDERS Kenton M. *see* BAUER Anthony J., REED J. Brian & SANDERS Kenton M. Slow wave heterogeneity within the circular muscle of the canine gastric antrum. 221

SARGEANT A.J. *see* DOLAN P., CREIG C. & SARGEANT A.J. Muscular weakness following prolonged exercise in man. 126*P*

SARIS W.H.M. *see* ERICH W.B.M., HAVEKES L., PELTENBURG A.L., SARIS W.H.M., VAN ERP-BAART A.M.J. & ZONDERLAND M.L. Lipemic risk factors and dietary intake in premenarcheal athletes. 102*P*

SAVALLE L.H. & SCHOUTEN V.J.A. Interaction between isoprenaline and Ca^{2+} antagonists in rat heart muscle. 116*P*

SCHALEKAMP M.A.D.H. *see* BOUMA B.N., DERKX F.M.H., HUISVELD I.A. & SCHALEKAMP M.A.D.H. The renin system: the effect of oral contraception and exercise in trained and sedentary women. 100*P*

SCHELVIS J. *see* BRENNER E., NUBOER J.F.W. & SCHELVIS J. Early colour deprivation in pigeon and monkey. 15*P*

SCHIERECK P. *see* DE BEER E.L., KIL P.J.M., SCHIERECK P. & VAN KAAM F.A.M. Diastolic volume loading and the inotropic state of *in vivo* left ventricles in dogs. 48*P*

SCHIERECK P. *see* CROWE A., DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Volume changes and the active state in isolated rabbit left ventricles. 70*P*

SCHIERECK P. *see* DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. The influence of the ejection timing upon the relaxation of the rabbit isolated left ventricle. 110*P*

SCHIERECK P. *see* DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Increase and decline of pressure enhancement during velocity-controlled stretches in the isolated contracting rabbit left ventricle. 111*P*

SCHIERECK P. *see* DE BEER E.L., SCHIERECK P. & VAN KAAM F.A.M. The effect of amplitude, velocity and time of volume decrease on pressure development in activated isolated rabbit left ventricle. 112*P*

SCHOUTEN V.J.A. *see* ACHTERBERG P.W., BUCX J.J.J., DE JONG J.W., NIEUKOOP A.S., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. High-energy phosphate metabolism and force production in normoxic and ischaemic rat cardiac trabeculae and papillary muscle. 73*P*

SCHOUTEN V.J.A. *see* SAVALLE L.H. & SCHOUTEN V.J.A. Interaction between isoprenaline and Ca^{2+} antagonists in rat heart muscle. 116*P*

SCHREUDER J.J.A. *see* DEN HERTOG J.M., DOORNENBAL A., HUISMAN G. H., KERKHOF P.L.M., SCHREUDER J.J.A. & STOKHOF A.A. Investigations on ventriculo-aortic interaction in the awake dog. 38*P*

SCHUIL H.A. *see* BRUNSTING J.R., PATBERG W.R., SCHUIL H.A. & ZIJLSTRA W.G. Effect of autacoid antagonists on vagal cardioacceleration in the dog. 39*P*

SCHUITMAKER J.J. *see* BERKENBOSCH A., DE GOEDE J., OLIEVIER C.N. & SCHUITMAKER J.J. CO_2 and H^+ effects on the ventilatory response to peripheral chemoreceptor stimulation in cats. 57*P*

SETTELS J.J. & WESSELING K.H. Non-invasive, continuous, calibrated blood pressure by the method of Peñáz. (D) 6*P*

SHEPHEARD S.L. *see* BENNETT J.A., MCWILLIAM P.N. & SHEPHEARD S.L. Inhibitory actions of γ-aminobutyric acid (GABA) in the nucleus tractus solitarius of the cat. 33*P*

SHIMONI Y. *see* FEDIDA D., NOBLE D., SHIMONI Y. & SPINDLER A.J. Inward current and contraction in mammalian cardiac cells: interventions that augment or reduce current staircases. 84*P*

SHUMAN H. *see* KOWARSKI D., SHUMAN H., SOMLYO A.P. & SOMLYO AVRIL V. Calcium release by noradrenaline from central sarcoplasmic reticulum in rabbit main pulmonary artery smooth muscle. 153

SIEGENBEEK VAN HEUKELOM J. & ZEUIDEMA T. The influence of Ba^{2+} on membrane potential and K^+-induced depolarizations in isolated goldfish intestinal epithelium. 92*P*

SIPKEMA P. *see* KRAMS R., SIPKEMA P. & WESTERHOF N. Does left ventricular pressure influence the coronary pressure-flow relation in the cat? 42*P*

SIPKEMA P. *see* BRAAKMAN R., SIPKEMA P. & WESTERHOF N. Vasodilators: do they dilate the canine iliac peripheral bed? 43*P*

SIPKEMA P. *see* BORGDORFF P., SIPKEMA P. & WESTERHOF N. Effect of pump perfusion on autoregulation in the hindleg of the cat. 49*P*

SLAAF D.W. *see* MUIJTJENS A.M.M., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Velocity profiles of blood platelets flowing in arterioles of the rabbit mesentery. 47*P*

SLAAF D.W. *see* OUDE VRIELINK H.H.E., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Vasomotion and reduced perfusion pressure in rabbit tenuissimus muscle. 125*P*

SMITH G.L. *see* ALLEN D.G. & SMITH G.L. The first calcium transient following shortening in isolated ferret ventricular muscle. 83*P*

SMITH I.C.H. *see* AMBOI N.I.B. & SMITH I.C.H. Post-tetanic responses of the isolated rat vas deferens. 76*P*

SMITS T.M. *see* AARNOUDSE J.G., SMITS T.M. & ZIJLSTRA W.G. The effect of hypoxaemia on scalp blood flow in the fetal lamb measured by the laser Doppler technique. 115*P*

SOJKA P. *see* JOHANSSON H. & SOJKA P. Actions on γ-motoneurones elicited by electrical stimulation of cutaneous afferent fibres in the hind limb of the cat. 343

SOMJEN G.G. Correlation of tissue pH and neuronal excitability during respiratory acidosis and alkalosis in the hippocampal formation of rats. 60*P*

SOMLYO A.P. *see* KOWARSKI D., SHUMAN H., SOMLYO A.P. & SOMLYO AVRIL V. Calcium release by noradrenaline from central sarcoplasmic reticulum in rabbit main pulmonary artery smooth muscle. 153

SOMLYO AVRIL V. *see* KOWARSKI D., SHUMAN H., SOMLYO A.P. & SOMLYO AVRIL V. Calcium release by noradrenaline from central sarcoplasmic reticulum in rabbit main pulmonary artery smooth muscle. 153

SPAAN J.A.E. *see* BOEKEE A., SPAAN J.A.E. & VAN DER MEER M. A versatile perfusion system for coronary artery perfusion in dog and goat. (D) 10*P*

SPAAN J.A.E. *see* NOBLE M.I.M., SPAAN J.A.E. & VERGROESEN I. Critical test of two predictive hypotheses (oxygen- and adenosine-based) for coronary vascular control in the goat and dog. 44*P*

SPAAN J.A.E., STASSEN H.G. & WIERINGA P.A. Coronary venous P_{O_2} and oxygen tissue distribution in a network model of the microcirculation. 45*P*

SPINDLER A.J. *see* FEDIDA D., NOBLE D., SHIMONI Y. & SPINDLER A.J. Inward current and contraction in mammalian cardiac cells: interventions that augment or reduce current staircases. 84*P*

SPINDLER A.J. *see* FEDIDA D., NOBLE D. & SPINDLER A.J. Simultaneous recording of transient inward current and contraction in single guinea-pig ventricular cells. 119*P*

STASSEN H.G. *see* SPAAN J.A.E., STASSEN H.G. & WIERINGA P.A. Coronary venous P_{O_2} and oxygen tissue distribution in a network model of the microcirculation. 45*P*

STEINMAN R.M. *see* COLLEWIJN H., STEINMAN R.M. & VAN DER STEEN J. The performance of the smooth pursuit eye movements system during passive and self-generated stimulus motion. 19*P*

STEPHENS J.A. *see* DATTA A.K., FLEMING Jean R., HORTOBAGYI T. & STEPHENS J.A. Short-term synchronization of high-threshold motor units in human first dorsal interosseous muscle recorded during steady voluntary isometric contractions. 22*P*

STERK P.J. *see* DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. The role of neural control and prostaglandin release in limited bronchoconstriction to methacholine in healthy humans. 106*P*

STERK P.J. *see* DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. Limited bronchoconstriction to methacholine using partial flow-volume curves in healthy humans. 107*P*

STEWART H.J. *see* BROWNHILL J., STEWART H.J. & THOMPSON G.E. Prepartum milking and the onset of secretion of milk fat in the goat. 291

STIENEN G.J.M. *see* BLANGÉ T., STIENEN G.J.M. & TREIJTEL B.W. Active stiffness in frog skinned muscle fibres at different Ca concentrations. 65*P*

STIENEN G.J.M. *see* BLANGÉ T. & STIENEN G.J.M. The early part of the tension transient of activated skinned muscle fibres of the frog at high time-resolution. 74*P*

STOKHOF A.A. *see* DEN HERTOG J.M., DOORNENBAL A., HUISMAN G. H., KERKHOF P.L.M., SCHREUDER J.J.A. & STOKHOF A.A. Investigations on ventriculo-aortic interaction in the awake dog. 38*P*

STUBBS W.A. *see* FELDBERG W., PYKE D.A. & STUBBS W.A. Phentolamine hyperglycaemia in cats. 25*P*

SUMMERILL R.A. Glomerular filtration rate and plasma amino nitrogen in the conscious dog. 53*P*

SUMTER D.F. *see* BOUMAN A.I.E., KERKHOF G.A., LANCEL M., PLOOIJ-VAN GORSEL P.C. & SUMTER D.F. Individual differences in the human circadian system. (D) 11*P*

SWEIRY J.H. & YUDILEVICH D.L. Characterization of choline transport at maternal and fetal interfaces of the perfused guinea-pig placenta. 251

TANGELDER G.J. *see* MULJTJENS A.M.M., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Velocity profiles of blood platelets flowing in arterioles of the rabbit mesentery. 47*P*

TANGELDER G.J. *see* OUDE VRIELINK H.H.E., RENEMAN R.S., SLAAF D.W. & TANGELDER G.J. Vasomotion and reduced perfusion pressure in rabbit tenuissimus muscle. 125*P*

TEPPEMA L.J. *see* BARTS P., PANS D. & TEPPEMA L.J. Ventilatory effects of carotid sinus-nerve stimulation with a sinusoidally modulated pulse frequency. 62*P*

TER KEURS H.E.D.J. *see* BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS

H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72P

TER KEURS H.E.D.J. *see* ACHTERBERG P.W., BUCX J.J.J., DE JONG J.W., NIEUKOOP A.S., SCHOUTEN V.J.A. & TER KEURS H.E.D.J. High-energy phosphate metabolism and force production in normoxic and ischaemic rat cardiac trabeculae and papillary muscle. 73P

THIELECZEK R. *see* LÜTTGAU H.Ch., NEUHAUS R., THIELECZEK R. & WETTWER E. Alterations in force activation after the injection of EGTA into short muscle fibres of the frog. 66P

THIO B. *see* INCE C., LEIJH P.C.J., THIO B., VAN DUIJN B. & YPEY D.L. Identification of a Na/K pump in cultured human monocytes. 90P

THOMPSON G.E. *see* BROWNHILL J., STEWART H.J. & THOMPSON G.E. Prepartum milking and the onset of secretion of milk fat in the goat. 291

THOMPSON J.C. *see* ALINDER G., GREELEY G.H., HEKKENS W.Th.J.M., RIETVELD W.J., RUBIN N.H. & THOMPSON J.C. The central control of circadian rhythmicity in food intake in the rat; the use of long-term recording techniques. (D) 12P

THON H. *see* LEMON R.N., MUIR R.B., THON H. & VAN DER BURG J. Methods for identification of single motor cortex neurones with projections to motoneurones of hand and forearm muscles in the conscious monkey. (D) 2P

TREIJTEL B.W. *see* BLANGÉ T., STIENEN G.J.M. & TREIJTEL B.W. Active stiffness in frog skinned muscle fibres at different Ca concentrations. 65P

TUREK Z. *see* VAN HAELST A.C.T.A., HOOFD L. & TUREK Z. Lognormal distribution of capillary domains in the rat myocardium. 114P

VAANDRAGER S.H. *see* BEENAKKERS A.M.Th., VAANDRAGER S.H. & VAN MARREWIJK W.J.A. Regulation of glycogenolysis in flight muscle of the migratory locust. 123P

VALDEOLMILLOS M. *see* EISNER D.A. & VALDEOLMILLOS M. Variability of systolic intracellular calcium concentration in calcium-overloaded isolated sheep Purkinje fibres. 81P

VAN DEN BERG R.J. *see* RIJNSBURGER W.H., VAN DEN BERG R.J., VAN DONGEN A.M.J. & VERSLUIJS C.A.A. An extremely fast voltage clamp for Ranvier nodes. (D) 3P

VAN DEN BERG R.J. *see* DE GOEDE J., DE VOS A. & VAN DEN BERG R.J. Location of $1/f$ noise: ion channel or bulk ionic solution? (D) 8P

VAN DER BERG R.J. *see* BUISMAN H.P., VAN DER BERG R.J., VOSSEN P.C.W.M. & WINTZEN A.R. Single-channel recordings from cultured human myotubes. 91P

VAN DER BURG J. *see* LEMON R.N., MUIR R.B., THON H. & VAN DER BURG J. Methods for identification of single motor cortex neurones with projections to motoneurones of hand and forearm muscles in the conscious monkey. (D) 2P

VAN DER BURG J. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20P

VAN DER HORST D.J. *see* BEENAKKERS A.M.Th. & VAN DER HORST D.J. Lipoprotein rearrangement and lipid transport during locust flight. 75P

VAN DER LAARSE A. *see* BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72P

VAN DER LAARSE W.J. *see* ELZINGA G. & VAN DER LAARSE W.J. Measurement of oxygen consumption of single frog muscle fibres. (D) 5P

VAN DER MEER M. *see* BOEKEE A., SPAAN J.A.E. & VAN DER MEER M. A versatile perfusion system for coronary artery perfusion in dog and goat. (D) 10P

VAN DER STEEN J. *see* COLLEWIJN H., STEINMAN R.M. & VAN DER STEEN J. The performance of the smooth pursuit eye movements system during passive and self-generated stimulus motion. 19P

VAN DER VELDE E.T. *see* BAAN J., DE BRUIN H.G. & VAN DER VELDE E.T. E_{max} for the dog left ventricle *in situ* is influenced by muscle shortening. 68P

VAN DER VUSSE G.J. *see* ARTS T., PRINZEN F.W., RENEMAN R.S. & VAN DER VUSSE G.J. Underperfusion across the left ventricular wall in relation to the duration of ischaemia and the level of post-stenotic pressure in dogs. 113P

VAN DESSEL J.P. *see* BIERSTEKER M.W.A., ERICH W.B.M., MINKHORST A.J.W., PELTENBURG A.L., VAN DESSEL J.P. & ZONDERLAND M.L. Influence of training on sexual maturation and androgen profiles of young female albino Wistar rats. 101P

VAN DONGEN A.M.J. *see* RIJNSBURGER W.H., VAN DEN BERG R.J., VAN DONGEN A.M.J. & VERSLUIJS C.A.A. An extremely fast voltage clamp for Ranvier nodes. (D) 3*P*

VAN DONGEN A.M.J. *see* BUISMAN H.P., JONGSMA H.J., VAN DONGEN A.M.J., VAN MEERWIJK W.P.M. & YPEY D.L. An interactive computer model for simulation and analysis of stochastic behaviour of ionic channels. (D) 9*P*

VAN DUIJN B. *see* INCE C. & VAN DUIJN B. Intracellular free calcium measurements by fluorescence microscopy on single Quin 2-loaded cultured human monocytes. (D) 7*P*

VAN DUIJN B. *see* INCE C., LEIJH P.C.J., THIO B., VAN DUIJN B. & YPEY D.L. Identification of a Na/K pump in cultured human monocytes. 90*P*

VAN ERP-BAART A.M.J. *see* ERICH W.B.M., HAVEKES L., PELTENBURG A.L., SARIS W.H.M., VAN ERP-BAART A.M.J. & ZONDERLAND M.L. Lipemic risk factors and dietary intake in premenarcheal athletes. 102*P*

VAN GINNEKEN A.C.G. *see* BOUMAN L.N., DUIVENVOORDEN J.J., JONGSMA H.J., OPTHOF T. & VAN GINNEKEN A.C.G. The mode of action of alinidine in the rabbit sino-atrial node. 117*P*

VAN HAELST A.C.T.A., HOOFD L. & TUREK Z. Lognormal distribution of capillary domains in the rat myocardium. 114*P*

VAN HARDEVELD C. *see* LEIJENDEKKER W.J. & VAN HARDEVELD C. The energy turnover in contracting muscles of hypothyroid rats. 124*P*

VAN HOF-VAN DUIN J. *see* MOHN G. & VAN HOF-VAN DUIN J. Development of the visual threatening reflex and the monocular visual field in human infants: cortico-subcortical integration? 96*P*

VAN INGEN SCHENAU G.J. *see* BOBBERT M.F., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Power output of human triceps surae muscle-tendon complex during jumping. 78*P*

VAN KAAM F.A.M. *see* DE BEER E.L., KIL P.J.M., SCHIERECK P. & VAN KAAM F.A.M. Diastolic volume loading and the inotropic state of *in vivo* left ventricles in dogs. 48*P*

VAN KAAM F.A.M. *see* CROWE A., DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Volume changes and the active state in isolated rabbit left ventricles. 70*P*

VAN KAAM F.A.M. *see* DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. The influence of the ejection timing upon the relaxation of the rabbit isolated left ventricle. 110*P*

VAN KAAM F.A.M. *see* DE BEER E.L., NIEUWENHUIJS J.H.M., SCHIERECK P. & VAN KAAM F.A.M. Increase and decline of pressure enhancement during velocity-controlled stretches in the isolated contracting rabbit left ventricle. 111*P*

VAN KAAM F.A.M. *see* DE BEER E.L., SCHIERECK P. & VAN KAAM F.A.M. The effect of amplitude, velocity and time of volume decrease on pressure development in activated isolated rabbit left ventricle. 112*P*

VAN LEEUWEN M. A cholinergic component in the biphasic tetanus of the isolated vas deferens of the rat. 120*P*

VAN MARREWIJK W.J.A. *see* BEENAKKERS A.M.Th. & VAN MARREWIJK W.J.A. Control of the mobilization of fat-body glycogen as a fuel for locust flight. 122*P*

VAN MARREWIJK W.J.A. *see* BEENAKKERS A.M.Th., VAANDRAGER S.H. & VAN MARREWIJK W.J.A. Regulation of glycogenolysis in flight muscle of the migratory locust. 123*P*

VAN MEERWIJK W.P.M. *see* BUISMAN H.P., JONGSMA H.J., VAN DONGEN A.M.J., VAN MEERWIJK W.P.M. & YPEY D.L. An interactive computer model for simulation and analysis of stochastic behaviour of ionic channels. (D) 9*P*

VAN NIE C.J. & VERMEULEN E. The sinu-atrial node and its adjacent autonomous ganglia in aquatic mammals (a morphological approach to function). 128*P*

VAN VLIET R.E.C. *see* CROWE A., KEESSEN W., KUUS W.A.W. & VAN VLIET R.E.C. Non-visual assessment of finger-tip positions in a horizontal plane. 94*P*

VAN WILLIGEN J.D. *see* DE HAAN P., VAN WILLIGEN J.D. & VERINGA F. Jaw position sense maintained under downward force on lower teeth. 34*P*

VAN ZUYLEN E.J. *see* DENIER VAN DER GON J.J., GIELEN C. & VAN ZUYLEN E.J. Activation of motor units in human arm muscles in relation to elbow joint angle. 23*P*

VAN ZWIETEN G. *see* BOM K., INA VAN DAM MEIJLER F.L. & VAN ZWIETEN G. Effect of atrial fibrillation on left ventricular behaviour. An echocardiographic study in man. 46*P*

VERDONCK F. *see* GLITSCH H.G., PUSCH H. & VERDONCK F. The pacemaker current increases the intracellular Na activity in isolated, sheep cardiac Purkinje fibres. 86*P*

VERGROESEN I. *see* NOBLE M.I.M., SPAAN J.A.E. & VERGROESEN I. Critical test of two predictive hypotheses (oxygen- and adenosine-based) for coronary vascular control in the goat and dog. 44*P*

VERINGA F. *see* PATBERG W.R. & VERINGA F. Graded blocking of non-myelinated vagal fibres in the rabbit. 31*P*

VERINGA F. *see* DE HAAN P., VAN WILLIGEN J.D. & VERINGA F. Jaw position sense maintained under downward force on lower teeth. 34*P*

VERMEULEN E. *see* VAN NIE C.J. & VERMEULEN E. The sinu-atrial node and its adjacent autonomous ganglia in aquatic mammals (a morphological approach to function). 128*P*

VERSLUIJS C.A.A. *see* RIJNSBURGER W.H., VAN DEN BERG R.J., VAN DONGEN A.M.J. & VERSLUIJS C.A.A. An extremely fast voltage clamp for Ranvier nodes. (D) 3*P*

VISSCHEDIJK A.H.J. Respiration and development of bird embryos under optimal and extreme conditions. 58*P*

VLIEGEN H.W. *see* BUCX J.J.J., HUYSMAN J.A.N., KNUFMAN N.M.J., RICCIARDI L., TER KEURS H.E.D.J., VAN DER LAARSE A. & VLIEGEN H.W. Some functional and structural changes in hypertrophied myocardium of trained rats. 72*P*

VOSSEN P.C.W.M. *see* BUISMAN H.P., VAN DER BERG R.J., VOSSEN P.C.W.M. & WINTZEN A.R. Single-channel recordings from cultured human myotubes. 91*P*

WALLACE W.F.M. *see* BULLOCK Caroline G., GILMORE Ruth St.C. & WALLACE W.F.M. Some ultrastructural evidence of barium/calcium competition for entry into smooth muscle cells of the rabbit ear artery. 79*P*

WANLESS R.B. *see* BUTCHER R.G., DRAKE-HOLLAND A.J., NOBLE M.I.M. & WANLESS R.B. The effect of noradrenaline lack on oxygen consumption in canine denervated myocardium. 40*P*

WEIDEMANN E. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

WEINGART R. *see* METZGER P. & WEINGART R. Electric current flow in cell pairs isolated from adult rat hearts. 177

WESSELING K.H. *see* SETTELS J.J. & WESSELING K.H. Non-invasive, continuous, calibrated blood pressure by the method of Peñáz. (D) 6*P*

WESTERHOF N. *see* KRAMS R., SIPKEMA P. & WESTERHOF N. Does left ventricular pressure influence the coronary pressure-flow relation in the cat? 42*P*

WESTERHOF N. *see* BRAAKMAN R., SIPKEMA P. & WESTERHOF N. Vasodilators: do they dilate the canine iliac peripheral bed? 43*P*

WESTERHOF N. *see* BORGDORFF P., SIPKEMA P. & WESTERHOF N. Effect of pump perfusion on autoregulation in the hindleg of the cat. 49*P*

WETTWER E. *see* LÜTTGAU H.Ch., NEUHAUS R., THIELECZEK R. & WETTWER E. Alterations in force activation after the injection of EGTA into short muscle fibres of the frog. 66*P*

WIELING W. *see* DE BOER R.W., KAREMAKER J.M. & WIELING W. Suppression of respiratory influence in the diastolic pressure as evidence of a functioning baroreflex in man. 55*P*

WIERINGA P.A. *see* SPAAN J.A.E., STASSEN H.G. & WIERINGA P.A. Coronary venous P_{O_2} and oxygen tissue distribution in a network model of the microcirculation. 45*P*

WINTZEN A.R. *see* BUISMAN H.P., VAN DER BERG R.J., VOSSEN P.C.W.M. & WINTZEN A.R. Single-channel recordings from cultured human myotubes. 91*P*

WIRZ-JUSTICE A. *see* KORVING J., RIETVELD W.J. & WIRZ-JUSTICE A. Circadian control of behaviour modified by chronic application of metamphetamine in the rat. 27*P*

WOITTIEZ R.D. Physiological changes in medial gastrocnemius muscles of male Wistar rats during growth. 77*P*

WOITTIEZ R.D. *see* BOBBERT M.F., HUIJING P.A., VAN INGEN SCHENAU G.J. & WOITTIEZ R.D. Power output of human triceps surae muscle-tendon complex during jumping. 78*P*

WORTEL J.F. *see* NUBOER J.F.W. & WORTEL J.F. A comparison of the spectral sensitivities of the chicken and the pigeon. 13*P*

WORTEL J.F. *see* NUBOER J.F.W. & WORTEL J.F. Wavelength discrimination in the lower and upper visual field of the pigeon. 95*P*

YADA Toshihiko *see* HIROTA Akihiko, KAMINO Kohtaro, KOMURO Hitoshi, SAKAI Tetsuro & YADA Toshihiko Optical studies of excitation–contraction coupling in the early embryonic chick heart. 89

YAMAGUCHI T. *see* FRITZ N., ILLERT M., KOLB F.P., LEMON R.N., MUIR R.B., VAN DER BURG J., WEIDEMANN E. & YAMAGUCHI T. The cortico-motoneuronal input to hand and forearm motoneurones in the anaesthetised monkey. 20*P*

YPEY D.L. *see* BUISMAN H.P., JONGSMA H.J., VAN DONGEN A.M.J., VAN MEERWIJK W.P.M. & YPEY D.L. An interactive computer model for simulation and analysis of stochastic behaviour of ionic channels. (D) 9*P*

YPEY D.L. *see* INCE C., LEIJH P.C.J., THIO B., VAN DUIJN B. & YPEY D.L. Identification of a Na/K pump in cultured human monocytes. 90*P*

YUDILEVICH D.L. *see* SWEIRY J.H. & YUDILEVICH D.L. Characterization of choline transport at maternal and fetal interfaces of the perfused guinea-pig placenta. 251

ZAMEL N. *see* DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. The role of neural control and prostaglandin release in limited bronchoconstriction to methacholine in healthy humans. 106*P*

ZAMEL N. *see* DANIEL E.E., HARGREAVE F.E., STERK P.J. & ZAMEL N. Limited bronchoconstriction to methacholine using partial flow-volume curves in healthy humans. 107*P*

ZAR M.A. *see* EDWARDSON J.A., MCDERMOTT J.R. & ZAR M.A. Biphasic effect of neuropeptide Y on adrenergic transmission in the rat anococcygeus muscle. 89*P*

ZEUIDEMA T. *see* SIEGENBEEK VAN HEUKELOM J. & ZEUIDEMA T. The influence of Ba^{2+} on membrane potential and K^+-induced depolarizations in isolated goldfish intestinal epithelium. 92*P*

ZIJLSTRA W.G. *see* BRUNSTING J.R., PATBERG W.R., SCHUIL H.A. & ZIJLSTRA W.G. Effect of autacoid antagonists on vagal cardioacceleration in the dog. 39*P*

ZIJLSTRA W.G. *see* KWANT G., OESEBURG B., ZIJLSTRA W.G. & ZWART A. Direct and indirect determination of the CO_2 Bohr effect in human whole blood. 56*P*

ZIJLSTRA W.G. *see* LANGBROEK A.J.M., RISPENS P., ZIJLSTRA W.G. & ZOCK J.P. Effect of bolus injections of buffered NH_4Cl solutions into the right atrium of the dog on arterial pH and end-expiratory P_{CO_2}. 104*P*

ZIJLSTRA W.G. *see* AARNOUDSE J.G., SMITS T.M. & ZIJLSTRA W.G. The effect of hypoxaemia on scalp blood flow in the fetal lamb measured by the laser Doppler technique. 115*P*

ZOCK J.P. *see* LANGBROEK A.J.M., RISPENS P., ZIJLSTRA W.G. & ZOCK J.P. Effect of bolus injections of buffered NH_4Cl solutions into the right atrium of the dog on arterial pH and end-expiratory P_{CO_2}. 104*P*

ZOCK J.P. A model of the H^+ and CO_2 Bohr and Haldane effects and their interactions in human haemoglobin. 108*P*

ZONDERLAND M.L. *see* BIERSTEKER M.W.A., ERICH W.B.M., MINKHORST A.J.W., PELTENBURG A.L., VAN DESSEL J.P. & ZONDERLAND M.L. Influence of training on sexual maturation and androgen profiles of young female albino Wistar rats. 101*P*

ZONDERLAND M.L. *see* ERICH W.B.M., HAVEKES L., PELTENBURG A.L., SARIS W.H.M., VAN ERP-BAART A.M.J. & ZONDERLAND M.L. Lipemic risk factors and dietary intake in premenarcheal athletes. 102*P*

ZWART A. *see* KWANT G., OESEBURG B., ZIJLSTRA W.G. & ZWART A. Direct and indirect determination of the CO_2 Bohr effect in human whole blood. 56*P*